

IN THE CLAIMS

A status of all the claims of the present Application is presented below:

1. (original) An image capture device, comprising:
a housing; and
at least one telescopic hinge operable to couple a lid to said housing.
2. (original) The image capture device of claim 1, wherein said at least one telescopic hinge releasably couples said lid to said housing.
3. (original) The image capture device of claim 1, further comprising at least one slot in said housing, said at least one slot operable to engage with at least a portion of said at least one telescopic hinge to prevent inadvertent decoupling of said at least one telescopic hinge from said housing.
4. (original) The image capture device of claim 1, wherein said housing comprises at least one recess corresponding to said at least one telescopic hinge.
5. (original) The image capture device of claim 1, wherein said housing comprises at least one recess, each of said at least one telescopic hinge being inserted into a corresponding one of said at least one recess to couple said lid with said housing.
6. (original) The image capture device of claim 1, wherein said at least one telescopic hinge comprises a plurality of segments.
7. (original) The image capture device of claim 1, wherein said at least one telescopic hinge comprises at least one segment slidably engaged with at least another segment.

8. (original) The image capture device of claim 1, wherein at least one segment of said at least one telescopic hinge is adapted to be disposed in a recess of said housing.

9. (original) The image capture device of claim 8, wherein at least another segment of said at least one telescopic hinge is slidably engaged with said at least one segment.

10. (original) The image capture device of claim 9, wherein a third segment of said at least one telescopic hinge is slidably engaged with said at least another segment.

11. (original) An image capture device, comprising:
a lid;
a housing; and
at least two telescopic hinges, each having a plurality of extensible segments, said at least two telescopic hinges pivotally coupling said lid to said housing.

12. (original) The image capture device of claim 11, wherein a first segment of said plurality of segments comprises a latching member operable to engage with a slot in said housing.

13. (original) The image capture device of claim 11, wherein a first segment of said plurality of segments comprises a ledge near an end of said first segment.

14. (original) The image capture device of claim 13, wherein said ledge surrounds an opening at said end.

15. (original) The image capture device of claim 13, wherein a second segment of said plurality of segments comprises a latching member operable to engage with said ledge.

16. (original) The image capture device of claim 15, wherein said latching member surrounds an end of said second segment.

17. (original) The image capture device of claim 11, wherein said at least two telescopic hinges releasably couple said lid to said housing.

18. (original) The image capture device of claim 11, wherein a segment of said plurality of segments comprises a channel operable to accept a pin to pivotally couple said lid to said hinge.